

MAXFIT™

Application Guide Terminology

RC ~ Regular Cab

This Cab Configuration features two doors. Long Beds, Short Beds, and Stepside Beds are possible.



SB ~ Short Bed

This Bed Configuration is for the shorter fleetside beds.



EC ~ Extended Cab

This Cab Configuration can feature either two or four doors with the rear doors being "Suicide Doors". Long Beds, Short Beds, and Stepside Beds are possible.



LB ~ Long Bed

This Bed Configuration is for the longer fleetside beds.



SS ~ Stepside

This Bed Configuration is for the beds that are narrower than the standard fleetside beds. Often referred to as stepside, flareside, or sportside beds.



DC ~ Dual Cab(Crew Cab)

This Cab Configuration features four full doors with the rear doors opening in the same direction as the front doors.



XS ~ Extra Short Bed

This Bed Configuration is for trucks with shorter than standard beds.



MAXFIT™

Chevy Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum			
A	Available in a Non-Wrap Over Configuration										
W	Available in a Wrap Over Configuration										
U	Universal Fit NOT CUSTOM										
Model	Cab	Bed Type	Inside bed Length at floor	Year							
Silverado	RC	SB	78.7	07 New Body	W	A	W	A			
			78	1988-1998	A	A		A			
			78	1999-2002	A	A	W	A			
			78.7	2003-2007	A	A	W	A			
Silverado 1500/2500 3500 non dually	RC	LB	97.6	07 New Body	W	A		A			
			98	1988-1998	A	A		A			
			98	1999-2002	A	A		A			
			97.6	2003-2007	A	A		A			
		SS	78	1988-1998	A			A			
			78	1999-2002				A			
			78.6	2003-2006				A			
			XS	69.3	07 New Body			W	A		
				68.5	2006-2007				A		
			EC	SB	78.7	07 New Body	W	A	W	A	
	78	1988-1998			A	A		A			
	78.6	1999-2002			A	A	W	A			
	78.6	2003-2007			A	A	W	A			
	LB	97.6		07 New Body	W	A		A			
		98		1988-1998	A	U		A			
		97.6		1999-2002	A	A		A			
		97.6		2003-2007	A	A		A			
		SS		78	1999-2002				A		
				78.6	2003-2007				A		
	XS	69.3	07 New Body	W		W	A				
68.5		2006-2007				A					
Silverado 1500/2500 3500 non dually	DC	XS	69.3	07 New Body	A		W	A			
			68.5	2004-2007	A			A			
		SB	78.7	07 New Body	W	A	W	A			
			78.6	2001-2002	A	A		A			
			78.6	2003-2007	A	A		A			
		LB	97.6	07 New Body	W	A		A			
			97.6	2001-2002	A	A		A			
			97.6	2003-2007	A	A		A			
			Colorado	RC	SB	72.8	2004-Current	A	A	W	A
				EC	SB	72.8	2004-Current	A	A	W	A
DC	XS	61.1		2004-Current	A		W	A			

MAXFIT™

Chevy Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum	
A	Available in a Non-Wrap Over Configuration								
W	Available in a Wrap Over Configuration								
U	Universal Fit NOT CUSTOM								
Model	Cab	Bed Type	Inside bed Length at floor	Year					
3500 Dually	RC	LB	97.6	07 New Body	U	U		A	
				2001-2002	U	U		A	
				2003-2007	U	U		A	
	EC	LB	97.6	07 New Body	U	U		A	
				2001-2002	U	U		A	
				2006-2007	U	U		A	
	DC	LB	97.6	07 New Body	U	U		A	
				2001-2002	U	U		A	
				2003-2007	U	U		A	
Quadrasteer	EC	SB	78.6	2003-2006	U	U		A	
	DC	SB	78.6	2003-2006	U	U		A	
S-10 Toolboxes not Available on Any S10 Models	RC	SB	76	1980-1993	A			A	
			76	1994-2003	A			A	
		LB	91	1980-1993					A
			91	1994-2003	A				A
	EC	SB	76	1980-1993	A			A	
			76	1994-2003	A			A	
		LB	91	1980-1993	A				A
			91	1994-2003	A				A
	SS	76	1997-2003	A				A	
	DC	XS	58.125	2001-2003	A			A	
	C/K	RC	SB	78	1973-1987				A
LB			98	1973-1987		A		A	
Silverado Protec Bed	RC	SB	78	2001-2002	A	A		A	
			78	2003-Current	A	A		A	
	EC	SB	78	2001-2002	A	A		A	
			78	2003-Current	A	A		A	
Silverado Super Sport	RC	SB	82.75	2003-Current	A	A		A	
	EC	SB	82.75	2003-Current	A	A		A	

MAXFIT™

Dodge Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum		
A	Available in a Non-Wrap Over Configuration									
W	Available in a Wrap Over Configuration									
U	Universal Fit NOT CUSTOM									
Model	Cab	Bed Type	Inside bed Length at floor							
				Year						
Dakota	RC	SB	78	1980-1996	A	A		A		
			78	1997-2004	A	A		A		
		LB	98	1980-1996	A	A		A		
			98	1997-2004	A	A		A		
	EC	SB	78	1980-1996	A	A		A		
			78	1997-2004	A	A		A		
		LB	78.8	2005-Current	A	A	W	A		
			98	1980-1996	A	A		A		
	DC	XS	98	1997-2004	A	A		A		
			65	2000-2004	A			A		
09 Ram 1500	DC	XS	64.9	2005-Current	W		W	A		
			68.4	2009-Current	W		W	A		
			RC	SB	76.8	2009-Current	W		W	A
			EC	SB	76.8	2009-Current	W	W	W	A
			RC	LB	97	2009-Current	W	W		A
Ram 1500	RC	SB	78	1980-1993	A			A		
			78	1994-2001	A	A		A		
			75.9	2002-2008	A	A	W	A		
		LB	98	1980-1993		A		A		
			98	1994-2001	A	A		A		
			98.3	2002-2008	A	A		A		
	EC	SB	78	1980-1993	A			A		
			78	1994-2001	A	A		A		
		LB	75.9	2002-2008	A	A	W	A		
			98	1980-1993	A	A		A		
2010 Ram 2500/3500/Dually	RC/DC	LB	98	1994-2001	A	U		A		
			98.3	2002-2008	A	A		A		
			RC	SB	80	2010-Current	U/W		W	A
			CREW	SB	80	2010-Current	U/W	U/W		
			MEGA	SB	80	2010-Current	U/W		W	A
Ram 2500	RC	SB	98	2010-Current	U/W			A		
			80	1980-1993	A			A		
			80	1994-2002	A	A		A		
		LB	75.9	2003-2009	A	A	W	A		
			98	1980-1993	A	A		A		
	SB	98	1994-2002	A	A		A			
		98.3	2003-2009	A	A		A			
		78	1980-1993	A			A			
			78	1994-2002	A	A		A		

MAXFIT™

Dodge Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum	
A	Available in a Non-Wrap Over Configuration								
W	Available in a Wrap Over Configuration								
U	Universal Fit NOT CUSTOM								
Model	Cab	Bed Type	Inside bed Length at floor	Year					
Ram 3500	EC	LB	75.9	2003-2009	A	A	W	A	
			98	1980-1993	A	A		A	
		LB	98	1994-2002	A	U		A	
			98.3	2003-2009	A	A		A	
	RC	SB	78	1994-2002	A	A		A	
			75.9	2003-2009	A	A	W	A	
			98	1994-2002	A	A		A	
		LB	98.3	2003-2009	A	A		A	
			SB	78	1994-2002	A	A		A
				75.9	2003-Current	A	A	W	A
	EC	LB	98	1994-2002	A	U		A	
			98.3	2003-Current	A	A		A	

MAXFIT™

GMC Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum
A	Available in a Non-Wrap Over Configuration							
W	Available in a Wrap Over Configuration							
U	Universal Fit NOT CUSTOM							
Model	Cab	Bed Type	Inside bed Length at floor	Year				
S-15	RC	SB	76	1981-1993	A			A
		LB	91	1981-1993	A			A
	EC	SB	76	1981-1993	A			A
Sonoma	RC	SB	76	1994-2003	A			A
		LB	91	1994-2003	A			A
		SS	76	1996-2002	A			A
	EC	SB	76	1994-2003	A			A
		LB	91	1994-2003	A			A
		SS	76	1996-2002	A			A
		DC	XS	58	2001-2003	A		
Canyon	RC	SB	72.8	2004-Current	A	A	W	A
	EC	SB	72.8	2004-Current	A	A	W	A
	DC	XS	61.1	2004-Current	A		W	A
Full Sized	RC	SB	78	1988-1998	A	A		A
		LB	97	1988-1998	A	A		A
		SS	78	1988-1998	A			A
	EC	SB	78	1988-1998	A	A		A
		LB	98	1988-1998	A	U		A
Sierra 1500/2500 3500 non dually	RC	SB	78.7	07 New Body	W	A	W	A
			78.6	1999-2007	A	A	W	A
		LB	97.6	07 New Body	W	A		A
			97.6	1999-2007	A	A		A
			SS	78.6	1999-2006			
	EC	SB	78.7	07 New Body	W	A	W	A
			78.6	1999-2007	A	A	W	A
		LB	97.6	07 New Body	W	A		A
			97.6	1999-2007	A	A		A
			XS	69.3	07 New Body	W		W
		SS	68.5	2006-2007	A			A
	SS	78.6	2006				A	
	DC	XS	69.3	07 New Body	W		W	A
			68.5	2004-2007	A		W	A
		SB	78.7	07 New Body	W	A	W	A
78.6			2001-2002	A	A		A	
LB			97.6	07 New Body	W	A		A
LB	97.6	2001-2002	A	A		A		

MAXFIT™

GMC Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum
A	Available in a Non-Wrap Over Configuration							
W	Available in a Wrap Over Configuration							
U	Universal Fit NOT CUSTOM							
Model	Cab	Bed Type	Inside bed Length at floor	Year				
3500 Dually	RC	LB	97.6	07 New Body	U	U		A
				2001-2002	U	U		A
				2003-2007	U	U		A
	EC	LB	97.6	07 New Body	U	U		A
				2001-2002	U	U		A
				2003-2007	U	U		A
	DC	LB	97.6	07 New Body	U	U		A
				2001-2002	U	U		A
				2003-2007	U	U		A
Denali	EC	SB	78.6	2003-2006	U	U		A

MAXFIT™

Nissan Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum	
A	Available in a Non-Wrap Over Configuration								
W	Available in a Wrap Over Configuration								
U	Universal Fit NOT CUSTOM								
Model	Cab	Bed Type	Inside bed Length at floor						
				Year					
Mini	RC	SB		1980-1984	U	U		A	
			73	1985	U			A	
			73	1986 ^{1/2} -1993	A	A			A
			73	1994-1997	A	A			A
	EC	LB	SB	79	1985	U	U		A
				80	1986 ^{1/2} -1997	U	U		A
		SB	73	1985	U	U			A
			73	1986 ^{1/2} -1993	A	A			A
			73	1994-1997	A	A			A
Frontier Toolboxes not Available on DC/XS Frontier	RC	LB	80	1998-2000	A	A		A	
			80	2001	A	A		A	
	EC	SB	72	1998-2000	A	A		A	
			72	2001-2004	A	A		A	
			73.3	2005-Current	A		W	A	
	DC	XS	SB	58	2001	A			A
				58	2001-2004	A			A
				59.9	2005-Current	A		W	A
		73.3	2007-Current	A			A		
Titan	EC	SB	78.9	2004-Current	A	A	W	A	
	DC	XS	67.1	2004-Current	A		W	A	

MAXFIT™

Toyota Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum
A	Available in a Non-Wrap Over Configuration							
W	Available in a Wrap Over Configuration							
U	Universal Fit NOT CUSTOM							
Model	Cab	Bed Type	Inside bed Length at floor	Year				
Mini	RC	SB	72	1983-1988	A	A		A
				1989-1994	A	A		A
	EC	LB	84	1984-1988	A	A		A
				1989-1994	A	A		A
		SB	72	1983-1988	A	A		A
				1989-1994	A	A		A
Tacoma	RC	SB	72	1995-2000	A			A
			72	2001-2004	A			A
			73.5	2005-Current	A	A	W	A
	EC	SB	72	2001-2004				A
			72	1995-2001	A	A		A
			72	2001-2004	A	A		A
		73.5	2005-Current	A	A	W	A	
		72	2001-2004				A	
		DC	SB	73.5	2005-Current	A	A	W
	58			2001-2004	A			A
	60.3			2005-Current	A		W	A
	T-100	RC	LB	100	1993-1998	A	A	
EC		SB	78	1993-1998	A	A		A
New Body 07 Tundra	DC	XS	66.7	07 Crew Max	W		W	A
	RC	SB	78.7	07 New Body	W	A	W	A
	EC	SB	78.7	07 New Body	W	A	W	A
	EC	LB	97.6	07 New Body	W	A		A
	RC	LB	97.6	07 New Body	W	A		A
Tundra	RC	LB	98.2	1999-2007	U	U		A
	EC	SB	78	1999-2001 ^{1/2}	U	U		A
			74.8	2002-2007	U	U		A
			74.8	2002-2007	S			A
	DC	XS	74	2004-2007	A			A

MAXFIT™

Misc. Application Guide

Legend						Max Cab High	Max Wedge	Max Cover	Max Aluminum
A	Available in a Non-Wrap Over Configuration								
W	Available in a Wrap Over Configuration								
U	Universal Fit NOT CUSTOM								
Model	Cab	Bed Type	Inside bed Length at floor		Year				
Isuzu	Mini	RC	SB		1980-1987		A		A
					1988-1995	A	A		A
		EC	SB		1980-1987		A		A
					1988-1995	A	A		A
	Hombre	RC	SB	76		A	A		A
				92		A	A		A
		EC	SB	76		A	A		A
						A	A		A
Isuzu I-280 & I-350 Toolboxes not	EC	SB	72.8	2005-Current	W	A	W	A	
	DC	XS	61.1	2005-Current	W		W	A	
Jeep Comanche	RC	SB		1986-1992	U	U		A	
	EC	SB		1986-1992	U	U		A	
Mazda Mini	RC	SB	73	1986-1993	A	A		A	
			72.8	1994-1997	A	A		A	
			72.8	1998-Current	U	U	U	A	
			84.6	1998-Current	U	U		A	
	EC	SB	73	1986-1993	A	A		A	
			72.8	1994-1997	A	A		A	
			72.8	1998-Current	U	U	U	A	
			84.6	1998-Current	U	U		A	
Mitsubishi D50	RC	SB		1987-1993	A	U		A	
				1994-1997	A	U		A	
				1987-1997	U	U		A	
	EC	SB		1987-1993	A	U		A	
				1994-1997	A	U		A	
	LB		1987-1997	U	U		A		
Mitsubishi Raider	DC	XS	64.9	2005-Current	U		U	A	
	EC	SB	78.8	2005-Current	U	U	U	A	

MAXFIT

Ford Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum	
A	Available in a Non-Wrap Over Configuration								
W	Available in a Wrap Over Configuration								
U	Universal Fit NOT CUSTOM								
Model	Cab	Bed Type	Inside bed Length at floor		Year				
Ranger	RC	SB	73	1980-1992	A	A		A	
			72.6	1993-1997	A	A	W	A	
			72.6	1998-Current	A	A	W	A	
		LB	85	1980-1992					A
			84.6	1993-1997	A	A			A
			84.6	1998-Current	A	A			A
	EC	SB	72.8	1993-1997	A			A	
			72.8	1998-Current	A			A	
			72.8	1980-1992	A	A		A	
		SS	72.8	1993-1997	A			A	
			72.8	1998-Current	A			A	
			72.8	1980-1992	A	A		A	
	Ranger Edge	RC	SB	72.8	2001-Current	A	A	W	A
				72.8	2001-Current	A			A
EC		SB	72.8	2001-Current	A	A	W	A	
			72.8	2001-Current	A			A	
Ford F150 Light Duty Heritage	RC	SB	80	1980-1991	A			A	
			80	1992-1996	A			A	
			80	1997-2003	A			A	
		LB	100	1980-1991	A	A		A	
			98	1992-1996	A	A		A	
			98	1997-2003	A	A		A	
	EC	SB	80	1992-1996	A			A	
			80	1997-2003	A			A	
			80	1980-1991	A			A	
		LB	100	1980-1991	A	A		A	
			98	1992-1996	A	A		A	
			98	1997-2003	A	A		A	
Light Duty Heritage Continued	SS	SB	80	1992-1996	A			A	
			80	1997-2003	A			A	
	SS	LB	80	1992-1996	A			A	
			80	1997-2003	A			A	
(Super Crew)	DC	XS	67	1997-2003				A	
F-150 Light Duty	RC	SB	78.8	2004-2008	A	A	W	A	
			97.4	2004-2008	A	A		A	
		SS	78.8	2004-2008					A
			67	2005-2008	A		W	A	
	EC	SB	78.8	2004-2008	A	A	W	A	
			97.4	2004-2008	A	A		A	
		SS	78.8	2004-2008					A
			67	2004-2008	A		W	A	
(Super Crew)	DC	XS	67	2004-2008	A		W	A	

MAXFIT

Ford Application Guide

Legend					Max Cab High	Max Wedge	Max Cover	Max Aluminum		
A	Available in a Non-Wrap Over Configuration									
W	Available in a Wrap Over Configuration									
U	Universal Fit NOT CUSTOM									
Model	Cab	Bed Type	Inside bed Length at floor	Year						
09 F-150 Duty	Light	EC/DC	XS	67	2009-Current	W		W	A	
		RC/EC/DC	SB	78.7	2009-Current	W	A	W	A	
		RC/EC	LB	98	2009-Current	W	A		A	
F250 Light Duty Heritage	RC	SB	79	1980-1991	A	A		A		
			79	1992-1996	A	A		A		
			79	1997-2003	A	A		A		
		LB	98	1980-1991	A	A		A		
			98	1992-1996	A	A		A		
			98	1997-2003	A	A		A		
	SS	79	1992-1996	A			A			
		79	1997-2003				A			
		SB	79	1980-1991	A	A		A		
			79	1992-1996	A	A		A		
			79	1997-2003	A	A		A		
		F250 Light Duty Heritage (Cont)	EC	LB	98	1980-1991	A	A		A
98	1992-1996				A	A		A		
98	1997-2003				A	A		A		
SS	79		1992-1996	A			A			
	79		1997-2003				A			
	F-250 & F-350 Heavy Duty		RC	SB	79	1997-1998	A	A		A
LB		98		1997-1998	A	A		A		
EC		SB	79	1997-1998	A	A		A		
		LB	98	1997-1998	A	A		A		
		F-250 Super Duty	RC	SB	82.4	1999-Current	A	A	W	A
				LB	96.6	1999-Current	A	A		A
F-250 Super Duty	EC	SB	82.4	1999-Current	A	A		A		
		LB	96.6	1999-Current	A	A		A		
	F-250&350 Super Duty W/O Step	RC	SB	82.4	08-current	A	A	W	A	
			LB	96.6	08-current	A	A		A	
EC		SB	82.4	08-current	A	A	W	A		
		LB	96.6	08-current	A	A		A		
F-250&350 Super Duty With Step	RC	SB	82.4	08-current	A	A	W	A		
		LB	96.6	08-current	A	A		A		
	EC	SB	82.4	08-current	A	A	W	A		
		LB	96.6	08-current	A	A		A		
Sport Trac	DC XS			2001-2006				A		
				2007				A		